



RAM[®]
MOUNTS

Marine



About RAM® Mounts


RAM® Mounts manufactures rugged and versatile mounting systems for cameras, tablets and other mobile devices that can be attached nearly anywhere. Unlike other mounts on the market, RAM® allows you to mount items where you need them most. The unique design of the RAM® Mounts system provides quick installation, adjustability, strength, vibration dampening and durability—all at a low cost. Backed by a lifetime warranty, RAM® uses powder-coated marine-grade aluminum with lightweight and high-strength composites, stainless steel hardware and rubber balls.

The RAM® Difference




Premium Design

The rubber ball and socket design of our mounting systems offers a secure hold, with near-infinite adjustability and vibration dampening for the most demanding environments. With thousands of components trusted by users around the world, we've been able to design and develop mounting solutions that consumers and companies previously only dreamed were possible.




Customizable

Take your phone mount from your truck to your boat, or mix and match components to create your ideal mount. Because of the modularity of the RAM® system, you can customize your solution to fit your specific needs in almost any application.



Quality Materials

A premium design deserves the highest quality materials available, from rubber and stainless steel to high-strength composites and marine-grade aluminum. Our facilities—including powder coating, die casting, rubber injection molding, and shock and vibration testing—help us deliver on this promise to bring you inventive mounting solutions.



Lifetime Warranty

It's simple. Our reputation as the leader of premier mounting systems means if we build it, then we guarantee it. We're confident in the quality of our products, and with our warranty, you can be too. Learn more [[link: rammount.com/warranty](http://rammount.com/warranty)] about our lifetime warranty.

Partner with RAM® Mounts

Here at RAM® Mounts, we believe that unfathomable things are possible with ingenuity. With a portfolio of over 5,000 SKUs paired with innovative engineers and in-house product experts, we have the tools and expertise needed to create solutions that you didn't know were possible. We have the ability to solve your mounting challenges quickly, efficiently and cost effectively.

No matter your company's size, you can trust RAM® Mounts to deliver ingenious solutions that do exactly what you need them to do on the water.



How It Works

1

Choose a Base

Select from a variety of bases to help secure your device where you need it.

2

Choose an Arm

Select an arm based on your desired length and placement.

3

Choose an Adapter

RAM® offers a wide selection of adapters and cradles for your specific device.



Modular Solutions for Every Use

Slip Resistant

The marine-grade aluminum or composite arm provides a strong hold that reduces slip on the rubber ball

Guaranteed

RAM® Mounts offers a lifetime warranty on all mounting hardware

Vibration Dampening

The rubber ball absorbs the impact of the rough waves, providing shock and vibration dampening

Adjustable

With nearly 360 degrees of articulation, each product may be adjusted to any angle with the turn of a single knob

How It Works

Ball Size Selection Guide

Each ball size in the RAM® Mounts rubber ball and socket system supports a different amount of weight and withstands increasingly intense vibration. Use the guide below to determine the ideal size for your system based on your device weight and application. RAM® recommends moving up a ball size in environments with extreme shock and vibration.



B Size

- 1" Diameter Ball
- Holds up to 2 lbs
- Ideal for cup holders, cameras and other lightweight devices



C Size

- 1.5" Diameter Ball
- Holds up to 4 lbs
- Ideal for tablets, fishing rods, medium fishfinders and chartplotters




D Size

- 2.25" Diameter Ball
- Holds up to 6 lbs
- Ideal for large fishfinders and chartplotters in extreme vibration and shock environments



Table of Contents

- 7 Bases
- 11 RAM® Tough-Track™
- 13 Arms
- 17 Fishing Rod Holders
- 23 Lowrance Mounts
- 25 Humminbird Mounts
- 27 Raymarine Mounts
- 29 Garmin Mounts
- 31 Universal Mounts
- 35 Swing Arm Mounts
- 37 Trolling Motor Stabilizers
- 39 Phone Mounts
- 41 Tablet Mounts
- 43 IntelliSkin® with GDS®
- 47 Action Camera Mounts
- 49 Cup Holder Mounts
- 51 LED Spotlight
- 53 Accessories
- 59 New Products Coming Soon
- 60 RAM® Retail Packaging
- 61 Compatibility Chart
- 63 Drawings Section
- 65 The Shape That Started It All



Bases



Seen in this photo:
RAM-101-G4, Drill-Down Double Ball Mount for Garmin Fishfinders (shown with Garmin Striker 5)

Bases

Drill-Down Bases

The RAM® Mounts rubber ball is unique to the RAM® Mounts system. This innovative rubber ball delivers vibration dampening, anti-slip capabilities, nearly 360-degrees of adjustability and the ruggedness that the marine environment demands. The RAM® Mounts round bases are made out of marine-grade aluminum and are powder-coated to offer corrosion resistance for storage in salt and fresh water.

Part Number	Ball Size	Diameter	Hole Pattern	Material
RAM-B-202	1" (B)	2.5"	4-Hole AMPS	Marine-Grade Aluminum
RAM-202	1.5" (C)	2.5"	4-Hole AMPS	Marine-Grade Aluminum
RAM-D-202	2.25" (D)	3.68"	3-Hole 120-Degree	Marine-Grade Aluminum
RAP-202	1.5" (C)	2.5"	4-Hole AMPS	High-Strength Composite
RAP-B-202	1" (B)	2.5"	4-Hole AMPS	High-Strength Composite



RAM-B-202



RAM-202



RAM-D-202

Bases

Spline Post Bases

The RAM® Mounts post and spline bases deliver the ultimate hold for your rod holders, bait tables and other accessories. Secure the bases in place and the components can be positioned anywhere you need your gear.

Part Number	Description
RAM-114BM	Bulkhead vertical base
RAM-114BMP	Bulkhead/flat surface base
RAM-114FM	Flush base
RAM-114FMT	Round flush base
RAM-114RM	Rail mount adapter



RAM-114RM



RAM-114BM



RAM-114FM



RAM-114BMP



RAM-114FMT

Bases

RAM® Tough-Claw™

The RAM® Tough-Claw™ provides a flexible mount for round rails or flat edges. The T-shaped knob means that you do not need any tools to install, remove or transfer your mount. Simply loosen the knob, reposition and secure.

Part Number	Ball Size	Fits Rails
RAP-B-400	1" (B)	.625" - 1.5" diameter
RAP-B-404	1" (B)	1" - 1.875" diameter
RAP-B-401	1" (B)	1" - 2.25" diameter
*RAP-B-401LU	1" (B)	1" - 2.25" diameter
RAP-400	1.5" (C)	.625" - 1.5" diameter
RAP-404U	1.5" (C)	1" - 1.875" diameter
RAP-401U	1.5" (C)	1" - 2.25" diameter
*RAP-401LU	1.5" (C)	1" - 2.25" diameter

*Locking feature

RAM® Torque™

For round rails, the RAM® Torque™ Base provides a low-profile attachment with plastic inserts that protect your finish and deliver the ultimate hold. Simply attach the RAM® Torque™ Base around the railing of your boat to easily mount almost any device.

Part Number	Ball Size	Fits Rails
RAM-B-408-75-1	1" (B)	.75" - 1" diameter
RAM-B-408-112-15	1" (B)	1.125" - 1.5" diameter
RAM-408-75-1	1.5" (C)	.75" - 1" diameter
RAM-408-112-15	1.5" (C)	1.125" - 1.5" diameter
RAM-B-415-15-2	1" (B)	1" - 2.25" diameter
RAM-415-15-2	1.5" (C)	1.125" - 1.5" diameter



RAP-400



RAM-408-75-1

RAM® Tough-Track™



Seen in this photo:
 RAM-TRACK-EXA-5,
 5" Modular Aluminum RAM® Tough-Track™
 RAP-B-354-TRA1,
 1" (B) RAM® Track Ball™
 RAM-B-201-C,
 1" (B) Long Double Socket Arm
 RAM-HOL-UN7B,
 RAM® X-Grip® Phone Holder
 RAM-B-201,
 1" (B) Double Socket Arm
 RAM-B-132B,
 RAM® Level Cup™ Drink Holder

RAM® Dual T-Bolt Base for Spline Posts
 *Compatible with any RAM® Tough-Track™



RAP-421

RAM® Track Ball™
 *Compatible with any RAM® Tough-Track™



RAP-354-TRA1

RAM® Tough-Track™ & RAM® Hand-Track™

Using a track mounting system is a clean, clever and innovative way to mount devices. With the RAM® Tough-Track™, customize your system with a variety of track lengths and components—for both the modular aluminum and top-loading composite versions. The RAM® Hand-Track™ is an ideal track and handrail solution, and includes two top-loading end caps for attachment to a flat surface.

Modular Aluminum RAM® Tough-Track™

Part Number	Overall Length	Inside Track Length
RAM-TRACK-EXA-3	6"	3"
RAM-TRACK-EXA-5	8"	5"
RAM-TRACK-EXA-9	12"	9"
RAM-TRACK-EXA-13	16"	13"
RAM-TRACK-EXA-17	20"	17"



RAM-TRACK-EXA-9

Top-Loading Composite RAM® Tough-Track™

Part Number	Overall Length	Inside Track Length
RAP-TRACK-A2	3.75"	2.43"
RAP-TRACK-A3	4.75"	3"
RAP-TRACK-A5	7"	5"
RAP-TRACK-A9	10.75"	9"
RAP-TRACK-A12	14.5"	12"
RAP-TRACK-A16	18.5"	16"



RAP-TRACK-A9

RAM® Hand-Track™

Part Number	Overall Length	Inside Track Length
RAM-TRACK-H4U	10"	4"
RAM-TRACK-H6U	12"	6"
RAM-TRACK-H8U	14"	8"
RAM-TRACK-H10U	16"	10"
RAM-TRACK-H12U	18"	12"
RAM-TRACK-H15U	21"	15"
RAM-TRACK-H18U	24"	18"
RAM-TRACK-H30U	36"	30"



RAM-TRACK-H10U

Modular Components

Part Number	Description
RAP-TRACK-EXA-CC90U	90-Degree Top-Loading Connector
RAP-TRACK-EXA-CCU	Center Top-Loading Connector



RAP-TRACK-EXA-CC90U



RAP-TRACK-EXA-CCU

RAM® Bond-A-Base™ with RAM® Tough-Track™

Part Number	Color	Inside Track Length
RAP-398-BLK-TRACK-A	Black	5.25"
RAP-398-GRY-TRACK-A	Grey	5.25"



RAP-398-BLK-TRACK-A

RAM® Hand-Track™ Extensions

Part Number	Track Length
RAM-TRACK-HC-4U	4"
RAM-TRACK-HC-6U	6"
RAM-TRACK-HC-8U	8"
RAM-TRACK-HC-10U	10"
RAM-TRACK-HC-12U	12"
RAM-TRACK-HC-15U	15"
RAM-TRACK-HC-18U	18"
RAM-TRACK-HC-30U	30"



RAM-TRACK-HC-6U

Arms



Seen in this photo:
RAM-107, Drill-Down Mount for Marine Electronics on a Bertram Yacht (shown with Lowrance HOOK 5)

Arms

Double Socket Arm Sizes

RAM® Mounts feature a double ball and socket system, providing modularity and adjustability. A RAM® arm is the connection between the mounting base and your device, and are available in multiple sizes.

B Size 1"

Part Number	Overall Length	Socket to Socket	Material
RAM-B-201-A	2.42"	1.75"	Marine-Grade Aluminum
RAP-B-201-A	2.42"	1.75"	High-Strength Composite
RAM-B-201	3.73"	3.00"	Marine-Grade Aluminum
RAP-B-201	3.73"	3.00"	High-Strength Composite
RAM-B-201-C	6.00"	5.31"	Marine-Grade Aluminum

C Size 1.5"

Part Number	Overall Length	Socket to Socket	Material
RAM-201-B	3.56"	2.50"	Marine-Grade Aluminum
RAP-201U-B	3.56"	2.50"	High-Strength Composite
RAM-201	5.69"	4.66"	Marine-Grade Aluminum
RAP-201U	5.69"	4.66"	High-Strength Composite
RAM-201-D	9.13"	8.00"	Marine-Grade Aluminum

D Size 2.25"

Part Number	Overall Length	Socket to Socket	Material
RAM-D-201U-C	5.10"	3.60"	Marine-Grade Aluminum
RAM-D-201U	8.44"	6.88"	Marine-Grade Aluminum
RAM-D-201U-E	12.98"	11.41"	Marine-Grade Aluminum



B Size

RAM-B-201



C Size

RAM-201



D Size

RAM-D-201U

Arms



Seen in this photo:
RAP-390, RAM® Tube Jr.™ with spline post
RAP-114-PAU, 8" ratchet arm
RAM-114BMP, bulkhead/flat surface base

Arms

RAM ROD® Post Extension Arm

Lift your fishing rod holder up off of your deck and easily enable the ideal position in tight spaces with this RAM ROD® extension arm. Made of high-strength composite, this 7.5" extension arm will help to ensure years of performance on the water.



RAM ROD® Revolution Ratchet/Socket System & Spline Posts

For connecting to a 1.5" ball base, the RAM ROD® Revolution Ratchet/Socket System consists of a quick release spline post base and ratchet arm with single open socket. Tilt the spline post forward and back while also having the ability to rotate the arm 360-degrees. Choose from 2", 4" and 6" spline posts that are compatible with an assortment of RAM® spline post bases. The ratcheting feature allows for the connected rod holder to tilt forward and back so you can achieve the optimal angle.



Fishing Rod Holders



Seen in this photo:
RAP-433-BMP, RAM ROD® HD Rod Holder with bulkhead/flat surface base
RAP-B-GOP2-A-GOP1, GoPro® Adapter Mount with short arm

Capture video of your best catches with the RAM ROD® HD and JR. Both rod holders are compatible with the RAM® Ball Adapter for GoPro® Bases, allowing you to easily attach your action camera or even a RAM® X-Grip® to the top of the rod holder.



Fishing Rod Holders

RAM ROD® HD & RAM ROD® JR Fishing Rod Holders

Made for heavy duty environments, the RAM ROD® HD features a rotating ring in the front that secures your fishing rod while trolling. The stop latch on the back can be locked into place to convert the rod holder into a tube style holder. For securing smaller fishing rods, the RAM ROD® JR has a flexible strap on the front of the holder.

RAM ROD® HD Kits

Part Number	Description
RAP-433	6" post (no base)
RAP-433-421	6" post with dual track base
RAP-433-BMP	6" post with plunger bulkhead/flat base

RAM ROD® JR Kits

Part Number	Description
RAP-434-NB	2" post (no base)
RAP-434-421	2" post with dual track base
RAP-434-BMP	2" post with plunger bulkhead/flat base
RAP-434-RBNB	Revolution post with 1.5" (C) socket (no base)
RAP-434-RB-TRA1	Revolution post with 1.5" (C) RAM® Track Ball™



RAP-433-BMP



RAP-434-BMP



RAP-433-421



RAP-434-421

Fishing Rod Holders



Seen in this photo:
RAM-117, Drill-Down Mount for the RAM ROD® 2000 Fishing Rod Holder on a Lund Boat

Fishing Rod Holders

RAM ROD® Fishing Rod Holders

A must-have for the fishing enthusiast, the RAM ROD® can support almost any spinning reel or baitcaster with an optional locking latch. The RAM ROD® offers a secure hold for rough waters while also offering quick removal of your rod. Compatible with any RAM® post and spline or ball and socket mounting systems.

Kits

Part Number	Description
RAM-114-B	Post with bulkhead base
RAM-114-F	Post with flush base
RAM-114-BMP	Post with plunger bulkhead/flat base
RAM-114-RB	Revolution post with 1.5" (C) ball base
RAP-114-PA-421	Ratchet arm with dual track base
RAM-117	Double ball mount

Holders

Part Number	Description
RAM-114-NB	6" Post
RAM-114-RBNB	Revolution post
RAM-117B-201U	Double socket arm
RAM-117B	1.5" (C) ball



RAM-114-RB



RAM-114-F



RAM-117



RAM-114-BMP

Fishing Rod Holders

RAM® Tube™ Holders

The RAM® Tube™ series consists of a large universal tube holder for securing most fishing rods for any environment. Available in kits with side ratchets, ball and socket components and spline post bases.

Kits

Part Number	Description
RAM-301-B	Post with bulkhead base
RAM-301-F	Post with flush base
RAM-301-RB	Revolution post with 1.5" (C) ball base
RAM-301-BMP	Post with plunger bulkhead/flat base
RAP-394-411	RAM® Tough-Tube™ with RAM® Track-Node™
RAP-394-418	RAM® Tough-Tube™ with ratchet track base
RAP-394-SSF	RAM® Tough-Tube™ with flush base
RAP-394-SSFMT	RAM® Tough-Tube™ with round flush base
RAP-394-SSBMP	RAM® Tough-Tube™ with plunger bulkhead/flat base
RAM-119	1.5" (C) ball and socket mount

Holders

Part Number	Description
RAM-301-NB	Post
RAM-301-RBNBU	Revolution post
RAP-394-SST	RAM® Tough-Tube™ post
RAM-119B	1.5" (C) socket arm



RAM-119



RAP-394-SSF



RAP-394-SSBMP



RAP-394-411

Fishing Rod Holders

RAM® Tube Jr.™ Holders

Lightweight and incredibly versatile, the RAM® Tube Jr.™ is made up of an open-ended tube for securing spinning reels on one end, and baitcasters on the opposite end. Various grooves and locking slots are integrated into this tube to secure any fishing rod in the most comfortable position for the user.

Kits

Part Number	Description
RAP-390-BU	Post with bulkhead base
RAP-390-421	Post with dual T-Bolt base
RAP-390-AAP	Post with RAM® Adapt-A-Post™ track base
RAP-390-BMP	Post with plunger bulkhead/flat base
RAP-390-F	Post with flush base
RAP-390-FMT	Post with round flush base
RAP-390-PA-418	Ratchet arm with track base
RAP-390-PA-421	Ratchet arm with dual track base
RAP-390-RB	Revolution post with 1.5" (C) ball base
RAP-390-RB-TRA1	Revolution post with RAM® Track Ball™
RAP-390-SAAPU	Short post with RAM® Adapt-A-Post™ track base
RAP-390-SBMP	Short post with plunger bulkhead/flat base
RAP-390-SBU	Short post with bulkhead base
RAP-390-SF	Short post with flush base
RAP-390-SFMTU	Short post with round flush base

HOLDERS

Part Number	Description
RAP-390	Post
RAP-390-RB-NB	Revolution post
RAP-390-STU	Short post



RAP-390-BMP



RAP-390-421



RAP-390-RB



RAP-390-RB-TRA1

Lowrance Mounts



Seen in this photo:
RAM-101-LO12, Drill-Down Mount (shown with Lowrance Hook² 5)

Lowrance Mounts

RAM® offers the most reliable mounting systems for your Lowrance marine electronics. For the Elite and HOOK series, a quick release ball integrates directly into the device to replace the factory gimbal bracket. And for the HDS-16 Carbon, RAM® offers the heavy duty D size (2.25") double ball mount with the RAM® Hi-Torq™ wrench for a secure hold.

Kits

Part Number	Ball Size	Compatible Device	Description
RAM-B-101-LO11	1" (B)	HOOK-3x, HOOK-4, Elite-4	Standard double ball mount
RAM-B-101-C-LO11	1" (B)	HOOK-3x, HOOK-4, Elite-4	Long double ball mount
RAM-B-107	1" (B)	HOOK-4, Elite-4	Standard double ball mount - gimbal plate
RAM-101-LO11	1.5" (C)	HOOK-5, Elite-5	Standard double ball mount
RAM-109H-2B-B-LO11	1.5" (C)	HOOK-5, Elite-5	Swing arm and double ball mount
RAM-B-101-LO12	1" (B)	HOOK2 4 & 4x	Standard double ball mount
RAM-B-LO12-354-TRA1	1" (B)	HOOK2 4 & 4x	RAM® Track Ball™ mount
RAM-101-LO12	1.5" (C)	HOOK2 5 & 5x	Standard double ball mount
RAM-D-111-C-KNOB9H	2.25" (D)	HDS-16 Carbon	Short double ball mount with RAM® Hi-Torq™ wrench

*see page 61 for all device compatibility

Ball Adapters

Part Number	Ball Size	Compatible Device
RAM-B-202-LO11	1" (B)	HOOK-3x, HOOK-4, Elite-4
RAM-B-107B	1" (B)	HOOK-4, Elite-4
RAM-202-LO11	1.5" (C)	HOOK-5, Elite-5
RAM-B-202-LO12	1" (C)	HOOK2 4 & 4x
RAM-202-LO12	1.5" (C)	HOOK2 5 & 5x
RAM-D-111BU	2.25" (D)	HDS Carbon 16

*see page 63 for drawings



See page 56 for cable manager



Humminbird Mounts



Seen in this photo:
RAM-D-202-25-C-202, Drill-Down Mount (shown with Humminbird Helix 10)

Humminbird Mounts

No matter what Humminbird unit you may have, RAM® offers a wide range of different sizes and lengths of double ball and socket mounts that position your device securely at the optimal angle and in the perfect location.

Kits

Part Number	Ball Size	Compatible Device	Description
RAM-107	1.5" (C)	500 & 600 Series	Standard length mount
RAM-202-153-202	1.5" (C)	Helix 5	Standard length mount
RAM-202-153-B-202	1.5" (C)	Helix 5	Short length mount
RAM-202-24-202	1.5" (C)	Helix 7	Standard length mount
RAM-202-24-B-202	1.5" (C)	Helix 7	Short length mount
RAM-D-202-25-C-202	2.25" (D)	Helix 9, 10 & 12	Short length mount

*see page 61 for all device compatibility

Ball Adapters

Part Number	Ball Size	Hole Pattern
RAM-107B	1.5" (C)	1.88" x 1.88" 2.81" x 2.66"
RAM-202U-153	1.5" (C)	1" x 2.5"
RAM-202U-24	1.5" (C)	1.5" - 3.5"
RAM-D-202U-25	2.25" (D)	2.5" - 4.5"

*see page 63 for drawings



See page 56 for cable manager



Raymarine Mounts



Seen in this photo:
RAM-B-202-379-M616, Drill-Down Mount (shown with Raymarine Wi-Fish)
RAM-B-273, RAM® Add-A-Ball™ Adapter
RAM-B-201-A, 1" (B) Short Socket Arm
RAM-HOL-UN7B, RAM® X-Grip® Phone Holder (shown with Apple iPhone 6)

Raymarine Mounts

To accommodate the smaller Dragonfly and Wi-Fish devices, RAM® has developed custom mounting systems with a ball that threads directly into the head unit for a clean and secure install. Mount your Raymarine device virtually anywhere with standard drill-down kits or customize with any combination of ball and socket components.

Kits

Part Number	Ball Size	Compatible Device
RAM-B-202-379-M616	1" (B)	Dragonfly 4, 5 & Wi-Fish
RAM-101-RYM1	1.5" (C)	Dragonfly 6 & 7

*see page 61 for all device compatibility

Ball Adapters

Part Number	Ball Size
RAP-B-379U-M616	1" (B)
RAM-202U-RYM1	1.5" (C)

*see page 63 for drawings



Garmin Mounts



Seen in this photo:
RAM-101-G4, Drill-Down Mount (shown with Garmin Striker 5)

Garmin Mounts

Your Garmin electronics deserve only the best when it comes to rugged and reliable mounting. RAM® Mounts will keep your GPSMAP, echoMAP or Striker unit exactly where you want it, with vibration dampening to keep your fishfinder secure while on choppy waters.

Kits

Part Number	Ball Size	Compatible Device	Description
RAM-B-101-G4	1" (B)	Striker 4	Double ball mount with round plate
RAM-101-G4	1.5" (C)	echoMAP Chirp 42-55, GPSMAP 527 & 547	Double ball mount with round plate
RAM-137	1.5" (C)	GPSMAP 741	Double ball mount with 3" x 11" plate

*see page 61 for all device compatibility

Ball Adapters

Part Number	Ball Size	Plate Size
RAM-B-202-G4U	1" (B)	2.5" diameter
RAM-202-G4	1.5" (C)	2.5" diameter
RAM-137BU	1.5" (C)	3" x 11"

*see page 63 for drawings



See page 56 for cable manager



Universal Mounts



Seen in this photo:
RAM-111, Drill-Down Mount (shown with Garmin Striker 5dv)
RAP-403, Cable Manager

Universal Mounts

Standard Double Ball Mounts

The standard double ball and socket mount for marine electronics includes a 6.25" x 2" plate with a series of universal hole patterns for aligning a wide variety of fishfinder and chartplotter gimbal brackets. Typically recommended for up to 7" head units, these mounts will outlast the device itself as you upgrade to newer technology.

Kits

Part Number	Ball Size	Description
RAM-B-111	1" (B)	Standard double ball mount
RAM-111	1.5" (C)	Standard double ball mount
RAM-111-B	1.5" (C)	Short double ball mount
RAM-111-D	1.5" (C)	Long double ball mount

*see page 61 for all device compatibility

Ball Adapters

Part Number	Ball Size	Plate Size
RAM-B-111B	1" (B)	6.25" x 2"
RAM-111B	1.5" (C)	6.25" x 2"

*see page 63 for drawings



See page 56 for cable manager



Universal Mounts



Seen in this photo:
RAM-D-111, Drill-Down Mount (shown with Garmin echoMAP)

Universal Mounts

Heavy Duty Double Ball Mounts

The most robust mount in the marine industry, these heavy duty D size (2.25") double ball mounts hold almost any 10"-12" head unit. Offering the same adjustability as any other RAM® double ball and socket system, these mounts keep large fishfinders and chartplotters secure in the most extreme environments while out on the water.

Kits

Part Number	Ball Size	Description
RAM-D-111-C	2.25" (D)	Short double ball mount
RAM-D-111	2.25" (D)	Standard double ball mount
RAM-D-115	2.25" (D)	Standard double ball mount
RAM-D-115-C	2.25" (D)	Short double ball mount
RAM-D-115-C-KNOB9H	2.25" (D)	Short double ball mount with RAM® Hi-Torq™ Wrench
RAM-D-115-E	2.25" (D)	Long double ball mount

*see page 61 for all device compatibility

Ball Adapters

Part Number	Ball Size	Plate Size
RAM-D-111BU	2.25" (D)	3" x 11"
RAM-D-115BU	2.25" (D)	2" x 6.25"

*see page 63 for drawings



See page 56 for cable manager



RAM-D-111BU



RAM-D-115BU



RAM-D-111-C



RAM-D-115-C

Swing Arm Mounts



Seen in this photo:
RAM-109H, Swing Arm Mount (shown with Garmin echoMAP)

Swing Arm Mounts

The RAM® swing arm mount secures horizontally or vertically to any flat surface. With single or double swing arm kits available, these units have multiple pivot points that can swing your device to the optimal position on your boat. The 6.25" x 2" plate offers the same hole patterns as the standard double ball and socket mounts for marine electronics. The RAM-109V attaches to rails ranging from 3/4"-3" in diameter, using a U-bolt or strap clamp (not included).

Kits

Part Number	Surface Type	Description
RAM-109H	Horizontal	Single swing arm
RAM-109V	Vertical	Single swing arm
RAM-109H-1	Horizontal	Double swing arm
RAM-109V-1	Vertical	Double swing arm

*see page 61 for all device compatibility
*see page 63 for drawings



Trolling Motor Stabilizers



Seen in this photo:
RAP-400-202, Drill-Down Mount for the Trolling Motor Stabilizer

Trolling Motor Stabilizers

Keep your trolling motor from bouncing around or damaging your hull with our stabilizer kits. Consisting of a base, arm and either a RAM® Tough-Claw™ or strap clamp, this mount will anchor your motor in place and provide quick access when drifting into cover or trying to sight cast.

Kits

Part Number	Ball Size	Mount Type	Max Height	Clamp Range
RAP-400-202	1.5" (C)	RAM® Tough-Claw™ with standard arm	9.25"	.625" - 1.5" diameter
RAM-202-B-400	1.5" (C)	RAM® Tough-Claw™ with short arm	7.125"	.625" - 1.5" diameter
RAM-108	1.5" (C)	Strap clamp with standard arm	8.75"	1" - 2.1" diameter
RAM-108-D	1.5" (C)	Strap clamp with long arm	12"	1" - 2.1" diameter
RAM-108-BU	1.5" (C)	Strap clamp with short arm	6.625"	1" - 2.1" diameter

Ball Adapters

Part Number	Ball Size	Clamp Range
RAP-400	1.5" (C)	.625" - 1.5" diameter
RAM-108B	1.5" (C)	1" - 2.1" diameter



Phone Mounts



Seen in this photo:
RAM-B-166-UN7, RAM® Twist-Lock™ Suction Cup Mount (shown with Apple iPhone 7)

Phone Mounts

The RAM® X-Grip® will keep your phone secure while out on the water. Suction your phone to your windshield, drill it to your console or clamp it to a rail—whatever fits your needs. Whether using your phone as a camera or operating a fishfinder app, your device will stay safe and accessible with a RAM® X-Grip®.

Kits

Part Number	Phone Size	Mount Type
RAM-B-166-UN7	Small phones	RAM® Twist-Lock™ suction cup - standard arm
RAM-B-166-A-UN7U	Small phones	RAM® Twist-Lock™ suction cup - short arm
RAM-B-138-UN7	Small phones	Drill-Down mount
RAP-B-378-UN7	Small phones	Flex adhesive mount
RAM-B-400-UN7	Small phones	RAM® Tough-Claw™ mount
RAM-B-166-UN10	Large phones	RAM® Twist-Lock™ suction cup - standard arm
RAM-B-166-C-UN10U	Large phones	RAM® Twist-Lock™ suction cup - long arm
RAP-B-378-UN10U	Large phones	Flex adhesive mount
RAM-B-138-UN10	Large phones	Drill-Down mount
RAM-B-400-C-UN10U	Large phones	RAM® Tough-Claw™ mount

Holders

Part Number	Ball Size	Phone Size
RAM-HOL-UN7B	1" (B)	Small Phones (up to 3.25" wide)
RAM-HOL-UN10B	1" (B)	Large Phones (up to 4.5" wide)



RAP-B-378-UN7



RAM-B-166-UN7



RAM-B-138-UN10



RAM-B-400-UN7

Tablet Mounts



Seen in this photo:
RAM-HOL-AP17U, RAM® EZ-Roll'r™ Cradle (shown with tablet)
RAM-B-101-C, Drill-Down Mount with long arm

Tablet Mounts

RAM® Mounts offers an assortment of tablet mounts for equipping your second station or offering a place to review charts in the main cabin or on the pedestal guard. The unique designs of the RAM® Tab-Tite™, RAM® X-Grip® and RAM® EZ-Roll'r™ can support virtually any size tablet with or without a case or sleeve. Pair with any RAM® double ball and socket mounting system for the best tablet accessory on the market.

Interchangeable end cups allow you to upgrade and future-proof your RAM® Tab-Tite™ without having to purchase a brand new tablet holder.

Holders

Part Number	Holder Type	Compatible Device
RAM-HOL-TAB20U	RAM® Tab-Tite™	9" - 10" tablets with case
RAM-HOL-TAB12U	RAM® Tab-Tite™	7" - 8" tablets with case
RAM-HOL-UN8B	RAM® Tab-Tite™	7" - 8" tablets
RAM-HOL-UN9U	RAM® X-Grip®	9" - 10" tablets
RAM-HOL-UN11U	RAM® X-Grip®	10" - 12" tablets
RAM-HOL-AP17U	RAM® EZ-Roll'r™	Apple iPad 5 th & 6 th Gen, Air 1-2 & Pro 9.7
RAM-HOL-AP20U	RAM® EZ-Roll'r™	Apple iPad mini 4
RAM-HOL-AP21U	RAM® EZ-Roll'r™	Apple iPad Pro 12.9
RAM-HOL-AP22U	RAM® EZ-Roll'r™	Apple iPad Pro 10.5

*Visit rammount.com for more tablet mounting options

Mounts

Part Number	Ball Size	Max Height	Mount Type
RAM-B-101	1" (B)	5"	Drill-Down
RAM-B-101-C	1" (B)	7.313"	Drill-Down
RAM-101	1.5" (C)	7.35"	Drill-Down

RAM® Tab-Tite™ End Cups

Part Number	Compatible Device
RAM-HOL-TAB20-CUPSU	9" - 10" tablets with case
RAM-HOL-TAB21-CUPSU	7" tablets with case
RAM-HOL-TAB24-CUPSU	8" tablets
RAM-HOL-TAB29-CUPSU	7" - 8" tablets with case



RAM-HOL-AP21U



RAM-HOL-TAB20U



RAM-HOL-UN8B

IntelliSkin® with GDS®



Seen in this photo:

RAM-B-101U, Drill-Down Double Ball Mount

RAM-GDS-DOCK-V2-SAM16U, GDS® Vehicle Dock for the Samsung Tab A 8.0

RAM-GDS-SKIN-SAM16U, IntelliSkin® for the Samsung Tab A 8.0 (shown with Tablet)

IntelliSkin® with GDS®

IntelliSkin® is a protective sleeve with military-grade drop protection and features an integrated GDS® connector molded directly into the skin. Designed to protect your phone or tablet and prevent damage to your device's charging port, IntelliSkin® sleeves are compatible with a wide range of GDS® Docks that offer a universal charging and syncing platform. Compatible with popular devices from Apple, Samsung, and more.



IntelliSkin® with GDS®



RAM-GDS-SKIN-AP7



Apple

Device	IntelliSkin®	Vehicle Dock	Compatible Ball
Apple iPad mini 2 and 3	RAM-GDS-SKIN-AP2	RAM-GDS-DOCKL-V2-AP2U	RAM-202U
Apple iPad mini 4	RAM-GDS-SKIN-AP7	RAM-GDS-DOCKL-V2-AP7U	RAM-202U
Apple iPad Air 2	RAM-GDS-SKIN-AP8	RAM-GDS-DOCKL-V2-AP8U	RAM-202U
Apple iPad Pro 9.7	RAM-GDS-SKIN-AP12	RAM-GDS-DOCKL-V2-AP8U	RAM-202U
Apple iPad (5th & 6th Gen)	RAM-GDS-SKIN-AP15	RAM-GDS-DOCKL-V2-AP8U	RAM-202U
Apple iPad Pro (10.5")	RAM-GDS-SKIN-AP16	RAM-GDS-DOCKL-V2-AP16U	RAM-202U
Apple iPad Pro 12.9 (1st & 2nd Gen)	RAM-GDS-SKIN-AP11U	RAM-GDS-DOCKL-V2-AP11U	RAM-202U

Samsung



RAM-GDS-SKIN-SAM28

Device	IntelliSkin®	Vehicle Dock	Compatible Ball
Galaxy J3 (2016)	RAM-GDS-SKIN-SAM25	RAM-GDS-DOCK-V1U	RAM-B-238
Galaxy J3 (2017)	RAM-GDS-SKIN-SAM31	RAM-GDS-DOCK-V1U	RAM-B-238
Galaxy J7 (2017)	RAM-GDS-SKIN-SAM32	RAM-GDS-DOCK-V1U	RAM-B-238
Galaxy S5	RAM-GDS-SKIN-SAM7U	RAM-GDS-DOCK-V1U	RAM-B-238
Galaxy S6	RAM-GDS-SKIN-SAM14U	RAM-GDS-DOCK-V1U	RAM-B-238
Galaxy S7	RAM-GDS-SKIN-SAM22	RAM-GDS-DOCK-V1U	RAM-B-238
Galaxy S8	RAM-GDS-SKIN-SAM28	RAM-GDS-DOCK-V1U	RAM-B-238
Galaxy S8+	RAM-GDS-SKIN-SAM30	RAM-GDS-DOCK-V1U	RAM-B-238
Galaxy S9	RAM-GDS-SKIN-SAM39	RAM-GDS-DOCK-V1CU	RAM-B-238U
Galaxy Xcover 4	RAM-GDS-SKIN-SKIN37	RAM-GDS-DOCK-V1U	RAM-B-238U
Galaxy Tab S 8.4	RAM-GDS-SKIN-SAM9U	RAM-GDS-DOCKL-V2-SAM9U	RAM-202
Galaxy Tab 4 7.0	RAM-GDS-SKIN-SAM11U	RAM-GDS-DOCKL-V2-SAM11U	RAM-202
Galaxy Tab 4 8.0	RAM-GDS-SKIN-SAM12U	RAM-GDS-DOCKL-V2-SAM12U	RAM-202
Galaxy Tab 4 10.1	RAM-GDS-SKIN-SAM13U	RAM-GDS-DOCKL-V2-SAM13U	RAM-202
Galaxy Tab A 9.7	RAM-GDS-SKIN-SAM15U	RAM-GDS-DOCKL-V2-SAM15U	RAM-202
Galaxy Tab A 8.0	RAM-GDS-SKIN-SAM16U	RAM-GDS-DOCKL-V2-SAM16U	RAM-202
Galaxy Tab Active 8.0	RAM-GDS-SKIN-SAM17U	RAM-GDS-DOCKL-V2-SAM17U	RAM-202
Galaxy Tab S2 8.0	RAM-GDS-SKIN-SAM18U	RAM-GDS-DOCKL-V2-SAM18U	RAM-202
Galaxy Tab S2 9.7	RAM-GDS-SKIN-SAM19U	RAM-GDS-DOCKL-V2-SAM19U	RAM-202
Galaxy Tab E 9.6	RAM-GDS-SKIN-SAM20U	RAM-GDS-DOCKL-V2-SAM20U	RAM-202
Galaxy Tab E 8.0	RAM-GDS-SKIN-SAM21	RAM-GDS-DOCKL-V2-SAM21U	RAM-202
Galaxy Tab A 10.1	RAM-GDS-SKIN-SAM23	RAM-GDS-DOCKL-V2-SAM23U	RAM-202
Galaxy Tab A 7.0	RAM-GDS-SKIN-SAM24	RAM-GDS-DOCKL-V2-SAM24U	RAM-202
Galaxy Tab A 10.1 with S Pen	RAM-GDS-SKIN-SAM26	RAM-GDS-DOCKL-V2-SAM23U	RAM-202
Galaxy Tab S3 9.7	RAM-GDS-SKIN-SAM27	RAM-GDS-DOCKL-V2-SAM27U	RAM-202
Galaxy Tab Active2	RAM-GDS-SKIN-SAM29HS	RAM-GDS-DOCKL-V2-SAM29HSU	RAM-202
Galaxy Tab A 8.0 (2017)	RAM-GDS-SKIN-SAM35	RAM-GDS-DOCKL-V2-SAM35U	RAM-238U

Power Accessories

Choose from a variety of power options for your GDS® enabled devices and docks, including Step Down Converter Chargers, Cig Chargers, Wall Chargers and more.

Part Number	Charger Type	Input Range	Output	Output Connector Type	Compatible Devices
RAM-GDS-CHARGE-USB2W	2 port wall charger	100-240V 50/60Hz	5V/2.4A Per Port 24W Max	2 Qty USB-A Female	Any 5V device with a current requirement of 2.4A or less
RAM-GDS-CHARGE-USB2QCCIG	2 port cig charger with Quick Charge support	12-24VDC	Port 1: Quick Charge 3.0(18W) Port 2: 5V/2.4A (12W) 30W Max	2 Qty USB-A Female	Any 5V device with a current requirement of 2.4A or less
RAM-GDS-CHARGE-V7BU	USB Type-A hardware	8-40VDC	5VDC & 9VDC (QC only) 2.5A Max	1.2M cable with USB-A Female	Any 5V device with a current requirement of 2.5A or less. Includes support of Apple iOS 2.1/2.4A devices and support for Qualcomm Quick Charge 2.0/3.0 devices
RAM-GDS-CHARGE-V7-M55U	DC cable hardware	8-40VDC	5VDC 2.5A Max	1.2M cable with DC cable	Any 5V device with a current requirement of 2.5A or less
RAM-GDS-CHARGE-V7-MUSBU	mUSB hardware	8-40VDC	5VDC & 9VDC (QC only) 2.5A Max	1.2M cable with Micro-B USB Male	Any 5V device with a current requirement of 2.5A or less. Includes support of Apple iOS 2.1/2.4A devices and support for Qualcomm Quick Charge 2.0/3.0 devices
RAM-GDS-CHARGE-V7-USBCU	USB Type-C hardware	8-40VDC	5VDC & 9VDC (QC only) 2.5A Max	1.2M cable with USB-C Male	Any 5V device with a current requirement of 2.5A or less. Includes support for Qualcomm Quick Charge 2.0/3.0 devices
RAM-GDS-CHARGE-USB6	6 port charger	100-240V 50/60Hz	5V/2.4A Per Port 60W Max	6 Qty USB-A Female	Any 5V device with a current requirement of 2.4A or less
RAM-GDS-CHARGE-V3CU	USB Type-C hardware	12-24VDC	5V/3A; 9V/3A; 12V/3A 36W Max	1.2 M cable with USB-C Male	Any device supporting Power Delivery 2.0 up to 36W
RAM-GDS-CHARGE-USBCW	USB Type-C wall charger	100-240V 50/60Hz	5V/3A; 9V/3A; 12V/3A; 15V/3A; 20V/2.25A 45W Max	USB-C Female	Any device supporting Power Delivery 2.0 up to 45W
RAM-GDS-CHARGE-CIGC	USB Type-A and Type-C cig charger	12-24VDC	USB-A: 5V/2.4A; 9V/2A; 12V/1.5A USB-C: 5V/3A; 9V/2A; 12V/2.4A; 47W Max	USB-A Female USB-C Female	USB-A: Any 5V device with a current requirement of 2.4A or less. Includes support for Qualcomm Quick Charge 2.0 devices USB-C: Devices supporting Power Delivery 2.0 up to 28W



RAM-GDS-CHARGE-USB2QCCIG



RAM-GDS-CHARGE-V7BU

Action Camera Mounts



Seen in this photo:
RAP-B-400-GOP1, RAM® Tough-Claw™ Mount for action cameras (shown with GoPro® HERO 4 Session)

Action Camera Mounts

Count on RAM® to connect to your favorite action camera, whether through the standard 1/4"-20 thread or through the modern 2-prong action camera adapter. The unique double ball and socket design lets you position your camera at the perfect angle, keeping a steady frame while traveling at high speeds on rough waves. Secure your action camera using the RAM® Twist-Lock™ Suction Cup for glass and non-porous surfaces. For rails and bars, the RAM® Tough-Claw™, RAM® Torque™, or even a strap clamp option.

Kits

Part Number	Description	Clamp Range
RAM-B-166-GOP1	RAM® Twist-Lock™ Suction Cup, standard arm, action camera adapter	n/a
RAM-B-166-A-GOP1U	RAM® Twist-Lock™ Suction Cup, short arm, action camera adapter	n/a
RAP-B-224-A-379-252025	RAM® Twist-Lock™ Suction Cup, short arm, RAM® Tough-Ball™ 1/4"-20 threaded stud	n/a
RAP-B-400-GOP1	Small RAM® Tough-Claw™, 2-prong action camera adapter	.625" - 1.5"
RAM-B-408-75-1-A-GOP1U	Medium RAM® Torque™, 2-prong action camera adapter	.75" - 1"
RAM-B-408-112-15-A-GOP1U	Large RAM® Torque™, 2-prong action camera adapter	1.125" - 1.5"
RAM-B-108-GOP1	Strap clamp, 2-prong action camera adapter	1" - 2.1"

Ball Adapters

Part Number	Ball Size	Description
RAP-B-202-GOP1	1" (B)	2-prong action camera adapter
RAP-B-379-252025	1" (B)	RAM® Tough-Ball™ 1/4"-20 threaded stud



RAM-B-408-75-1-A-GOP1U



RAP-B-400-GOP1



RAP-B-224-A-379-252025



RAM-B-166-GOP1

Cup Holder Mounts



Seen in this photo:
RAP-B-417-400, RAM® Tough-Claw™ mount for beverage container

Cup Holder Mounts

RAM® Level Cup™

Available with a RAM® Tough-Claw™, RAM® Torque™ or strap clamp mount, this cup holder offers two independent self-leveling hinge points that freely swivel, keeping your beverage from spilling when you find yourself in any rough conditions. Ideal for cans and small drinks up to 16oz.

RAM® Level Cup™ XL

The self-leveling RAM® Level Cup™ XL keeps your beverages from spilling and integrates an adjustable height option for accommodating large drink sizes, such as tumblers and water bottles. Whether you have a Nalgene or Hydro Flask, the RAM® Level Cup™ XL will secure most 32oz containers.

Kits

Part Number	Description	Clamp Range
RAP-B-417-400	RAM® Level Cup™ XL with small RAM® Tough-Claw™ - low profile	.625" - 1.5"
RAM-B-408-75-1-A-417	RAM® Level Cup™ XL with medium RAM® Torque™ base	.75" - 1"
RAP-B-417-200-1-231Z-2NUBU	RAM® Level Cup™ XL with strap clamp	1.57" - 3.15"
RAM-B-132-400	RAM® Level Cup™ with small RAM® Tough-Claw™ - low profile	.625" - 1.5"
RAM-B-408-75-1-A-132U	RAM® Level Cup™ with medium RAM® Torque™ base	.75" - 1"
RAM-B-132R-2	RAM® Level Cup™ with strap clamp	1.57" - 3.15"

Holders

Part Number	Ball Size	Description
RAP-B-417B	1" (B)	RAM® Level Cup™ XL
RAP-417B	1.5" (C)	RAM® Level Cup™ XL
RAM-B-132B	1" (B)	RAM® Level Cup™



RAM-B-132-400



RAP-B-417-400



RAM-B-132R-2



RAM-B-408-75-1-A-417

* koozie not shown but included

LED Spotlight



Seen in this photo:
RAM-B-152-404, RAM® Tough-Claw™ Mount with LED Spotlight

LED Spotlight

The RAM® LED Spotlight integrates a powerful LED bulb that yields a bright and efficient light, while lowering powerdraw from your boat. The weather-resistant body and 12V cord means you can mount the light from nearly any location. When not mounted, the handle allows for full control. In case of a drop, the rubber housing is waterproof and the LED Spotlight will float in water.

Kits

Part Number	Description	Clamp Range
RAM-B-152	Drill-Down mount	n/a
RAM-B-152-404	RAM® Tough-Claw™ mount	1" - 1.875"
RAM-B-152-231Z-2	Strap clamp mount	1.57" - 3.15"

Spotlight Specifications

Part Number	Ball Size	Bulb Specifications	Power Cable	Hardwire Cable	Replacement Bulb
RAM-B-152B	1" (B)	30-degree spotlight 4500K color temp	10' long coiled with 12V DC cigarette plug	12" long with 2 ring terminals, female cigarette plug	RAM-B-152-BULB



RAM-B-152-404



RAM-B-152-231Z-2

Accessories



Seen in this photo:
RAM-D-111, Drill-Down Mount for Marine Electronics (shown with Garmin echoMAP)
RAM-KNOB9H, RAM® Hi-Torq™ Wrench

Accessories

RAM® Hi-Torq™ Wrench

Get the extra leverage needed to secure D size RAM® components with the RAM® Hi-Torq™ wrench. Built to secure heavy duty mounts and easy to use while wearing bulky gloves, the RAM® Hi-Torq™ wrench is a great tool to have on-board.



RAM-KNOB9H



Seen in this photo:
RAM-D-111-C, Drill-Down Mount for Marine Electronics
RAM-KNOB9H, RAM® Hi-Torq™ Wrench

Accessories

RAM® Pin-Lock™ Security Knob

The RAM® Pin-Lock™ utilizes a special keyed knob to help deter theft and add extra security for your RAM® mounting system and devices. The RAM® Pin-Lock™ is available in different styles to lock double socket arms, swing arms and gimbals.

Part Number	Fits
RAP-S-KNOB3	B-size arms
RAP-S-KNOB5	C-size arms
RAM-KNOB3L	B-size arms
RAM-KNOB5L	C-size arms
RAP-S-KNOB-109	Swing arms
RAP-S-KNOB-109-1	Double swing arms
RAP-S-NUT5	D-size arms
RAP-S-KNOBG	Gimbal brackets
RAP-S-KNOB3-G	Gimbal brackets and B-size arms
RAP-S-KNOB5-G	Gimbal brackets and C-size arms
RAP-S-NUT5-G	Gimbal brackets and D-size arms
RAP-S-KNOBG-109	Gimbal brackets and swing arms
RAP-S-KNOBG-109-1	Gimbal brackets and double swing arms

*see page 61 for all device compatibility



Accessories

Cable Manager

Route cables and wires cleanly from your devices. A great integration with round base plates, the cable manager also helps to reduce vibration by creating a barrier between the base plate and the surface area.



RAP-402



RAP-403

Part Number	Compatible with	Cable Slot Height	Cable Slot Width	Max. Mounting Surface Thickness
RAP-403	1" (B) and 1.5" (C) ball bases with the AMPS hole pattern	.56"	.7"	.68"
RAP-402	2.25" (D) ball bases with the 3-hole 120-degree pattern	.45"	.95"	1.47"

*see page 61 for all device compatibility



Seen in this photo:
RAP-403, cable manager

Accessories

RAM® Stack-N-Stow™ Bait Board

Keep your tools, knives, and bait handy with the RAM® Stack-N-Stow™ Bait Board. Made of high-strength composite, the Bait Board is durable and rugged. Integrated lure storage on the sides and magnets in the tray secure tools and other objects. Utilize a variety of items with the ample amount of external mounting options available—from a handheld GPS, phone, action camera to even a drink. The RAM® Wedge-Lock™ mount base allows you to move your item into one of six wedge slots and swap them out without tools. The ball base kit allows you to add a ball to the corners for the use of the double socket arm mounting options shown below.



Part Number	Description
RAP-395U	RAM® Stack-N-Stow™ bait board with AMPS 4-hole pattern
RAP-395-RMU	RAM® Stack-N-Stow™ bait board with 3" long spline post and bulkhead rail adapter
RAP-395-BMPU	RAM® Stack-N-Stow™ bait board with 3" long spline post and bulkhead/flat surface base and plunger
RAP-395T-BBU	Topside base with 1" (B) ball
RAP-395T-BCU	Topside base with 1.5" (C) ball
RAP-395W-132U	Side RAM® Wedge-Lock™ Level Cup™ drink holder
RAP-395WU	Side RAM® Wedge-Lock™

Accessories

Rail Adapters

Utilize the post and spline system or any of the 2.5" round bases with these rail adapter accessories.



RAM-114RM



RAM-233

Part Number	Fits	Compatible Components
RAM-114RM	7/8" - 1" diameter rails	RAM-114BM and RAM-114BMP
RAM-233	.75" - 1" diameter rails	RAM-202 and RAM-B-202

RAM® Mari-Rivet™ and RAM® Mari-Nut™

When mounting to your boat, sometimes you have the need for a blind hole mount. RAM® offers the RAM® Mari-Rivet™ for a permanent mount. Suited for material 1/16" to 1/4" thick, this is a great mounting option for fiberglass, plastic and metal mounting locations. The RAM® Mari-Nut™ allows for a non-permanent and light duty way to mount to blind holes.



RAM-MARI-RIVET-4



RAM-MARI-NUT-4

Part Number	Compatible Components	Grip Thickness	Hole Size Required
RAM-MARI-RIVET-4	Ball bases with 4 holes	1/16" - 1/4"	7/32"
RAM-MARI-NUT-4	Ball bases with 4 holes	3/100" - 23/100"	3/8"

New Products Coming Soon

RAM® Track-Node™

Attach the new RAM® Track-Node™ with T-bolt base to most track systems and gunwales, allowing you to securely connect holders like the RAM ROD® HD for increased adjustability with the simple turn of a knob.



* Shown with RAM® Hand-Track™ and RAM ROD® HD

RAM® Light-Aware™

Conveniently insert your own flashlight and enhance you and your kayak's visibility in any condition. Featuring the ability to bend near the base, trees and other obstacles aren't a concern. The RAM® Light-Aware™ securely attaches to any RAM® Tough-Track™ and most track systems using the T-bolt base.




RAM® Retail Packaging

With such an expansive line of mounting solutions, we believe it needs to be easy for customers to find exactly what they're looking for. That's why our new retail ready packaging features a gloss finish, high-quality color photos, and product-specific descriptions and features. Just like our mounts, RAM® packaging delivers a premium experience.




Drawings Section




RAM-202

For: RAM-B-202, RAM-202, RAM-B-202-G2, RAM-202-G2U, RAM-B-202-G4U, RAM-202-G4, RAM-B-202-RYM1, RAM-202U-RYM1, RAM-B-101-G4, RAP-B-101U-G4, RAM-101-G4, RAM-101-RYM1 and RAM-B-101-RYM1




RAM-111B

For: RAM-109H, RAM-109V, RAM-109H-1, RAM-109V-1, RAM-111B, RAM-111-B, RAM-111, RAM-111-D, RAM-D-115, RAM-D-115-C, RAM-D-115-E



RAM-107B


For: RAM-B-107B, RAM-107B, RAM-B-107, RAM-107



RAM-D-111BU


For: RAM-137BU, RAM-D-111BU, RAM-D-111-C, RAM-D-111, RAM-D-111-C-KNOB9H, RAM-D-111-KNOB9H, RAM-137

Drawings Section




RAM-B-107-1B

For: RAM-B-107-1B, RAM-B-107-1




RAM-202U-25

For: RAM-202U-25, RAM-D-202U-25,
RAM-D-202-25-C-202



RAM-202U-24


For: RAM-B-202U-24, RAM-202U-24,
RAM-202-24-B-202, RAM-202-24-202



RAM-202U-153

For: RAM-B-202-153, RAM-202U-153,
RAM-202-153-B-202, RAM-202-153-202

The Shape That Started It All



RAM® double socket arms with their distinctive Hourglass Shape are recognized globally as a symbol of the reliability, quality and durability of this line of products. The Hourglass Shape is a registered trademark of National Products Inc.

The unique RAM® Mounts system offers a full line of interchangeable mounting bases, extensions, device adapters and accessories to secure your gear where you want it. See all of the innovative products and solutions RAM® manufactures at rammount.com.



The distinctive RAM® "X-Grip®" product shape is a trademark of National Products Inc.



The distinctive "D" product shape of the GDS® connector is a trademark of National Products Inc.



RAM® Mounts is a division of National Products Inc.

8410 Dallas Avenue South

Seattle, WA 98108

Phone: 800.497.7479

sales@rammount.com

rammount.com

Lifetime Warranty

Patents and Trademarks

rammount.com/ip

National Products Inc.

Would like to thank the following:

Master Marine Boat Center Inc.

Nixon's Marine Inc.

Waypoint Marine Group

Wooldridge Boats Inc.



RAM[®]
MOUNTS

Contact Us
sales@rammount.com
1-800-497-7479

Join Our Community



NPI-CAT-MARINE17
APRIL 2018